

Author Index,¹ 1992

The Telecommunications and Data Acquisition Progress Report

42-109, January–March, May 15, 1992

42-110, April–June, August 15, 1992

42-111, July–September, November 15, 1992

42-112, October–December, February 15, 1993

Abu-Mostafa, Y. S.

- 42-110 Maximal Codeword Lengths in Huffman Codes, pp. 188–193.

R. J. McEliece

Arnold, S.

- 42-110 Binary Weight Distributions of Some Reed-Solomon Codes, pp. 208–215.

See Pollara, F.

Alexeev, V.

- 42-111 Demonstration of a Joint U.S.–Russian Very Long Baseline Interferometry Tracking Capability, pp. 153–166.

See Kroger, P. M.

Atkinson, D. J.

- 42-109 Deep Space Network Information System Architecture Study, pp. 282–355.

See Beswick, C. A.

Altunin, V.

- 42-111 Demonstration of a Joint U.S.–Russian Very Long Baseline Interferometry Tracking Capability, pp. 153–166.

See Kroger, P. M.

Au, P. A.

- 42-109 DSN Acquisition of Magellan High-Rate Telemetry Data, pp. 253–264.

See Berman, A. L.

Alvarez, L. S.

- 42-111 Analysis and Applications of a General Boresight Algorithm for the DSS-13 Beam Waveguide Antenna, pp. 48–61.

- 42-111 Atmospheric Refraction Correction for Ka-band Blind Pointing on the DSS-13 Beam Waveguide Antenna, pp. 62–70.

See Perez-Borroto, I. M.

Aung, M.

- 42-111 Tracking Performance and Cycle Slipping in the All-Digital Symbol Synchronizer Loop of the Block V Receiver, pp. 179–191.

Bartos, R. D.

- 42-109 Dynamic Modeling of Fluid Transmission Lines of the DSN 70-Meter Antennas by Using a Lumped Parameter Model, pp. 162–169.

42-111

- Mathematical Modeling of Bent-Axis Hydraulic Piston Motors, pp. 224–235.

¹ In the case of joint authorship, the reader is referred to the citation under the first author, where all the authors of the article are listed.

- 42-111 Reducing the Net Torque and Flow Ripple Effects of Multiple Hydraulic Piston Motor Drives, pp. 236–245.
- Bassiri, S.**
- 42-110 Modeling the Global Positioning System Signal Propagation Through the Ionosphere, pp. 92–103.
G. Hajj
- Bautista, J. J.**
- 42-109 Noise-Optimal Control of HEMT LNA's for Compensation of Temperature Deviations, pp. 121–129.
See MacCarley, C.
- Berman, A. L.**
- 42-109 DSN Acquisition of Magellan High-Rate Telemetry Data, pp. 253–264.
P. A. Au
- Beswick, C. A.**
- 42-109 Deep Space Network Information System Architecture Study, pp. 282–355.
R. W. Markley, D. J. Atkinson, L. P. Cooper, R. C. Tausworthe, R. C. Masline, J. S. Jenkins, R. A. Crowe, J. L. Thomas, and M. J. Stoloff
- Beyer, P. E.**
- 42-109 Galileo Early Cruise, Including Venus, First Earth, and Gaspra Encounters, pp. 265–281.
R. C. O'Connor and D. J. Mudgway
- Border, J. S.**
- 42-109 Orbiter–Orbiter and Orbiter–Lander Tracking Using Same-Beam Interferometry, pp. 74–86.
See Folkner, W. M.
- 42-110 Precise Tracking of the Magellan and Pioneer Venus Orbiters by Same-Beam Interferometry, Part I: Data Accuracy Analysis, pp. 1–20.
W. M. Folkner, R. D. Kahn, and K. S. Zukor
- 42-110 Spacecraft–Spacecraft Very Long Baseline Interferometry, Part I: Error Modeling and Observable Accuracy, pp. 63–76.
See Edwards, Jr., C.
- 42-111 Subnanosecond GPS-Based Clock Synchronization and Precision Deep-Space Tracking, pp. 1–10.
See Dunn, C. E.
- Buchanan, H. R.**
- 42-110 A Model for the Cost of Doing a Cost Estimate, pp. 278–283.
See Remer, D. S.
- Buffington, A.**
- 42-110 Evaluation of the Table Mountain Ronchi Telescope for Angular Tracking, pp. 104–117.
See Lanyi, G.
- Bury, G.**
- 42-109 DSS-13 26-Meter Antenna Upgraded Radiometer System, pp. 209–220.
See Stelzried, C. T.
- Chen, C.-C.**
- 42-109 Figure of Merit for Direct-Detection Optical Channels, pp. 136–151.
- Chen, J. C.**
- 42-111 Study of Narrow-Band Dichroic Plates With Circular, Rectangular, or Pyleguide Apertures, pp. 41–47.
42-112 Feasibility Study of a Ka-/Ka-Band Dichroic Plate With Stepped Rectangular Apertures, pp. 1–7.
- Cheung, K.-M.**
- 42-110 Locally Adaptive Vector Quantization: Data Compression With Feature Preservation, pp. 163–178.
M. Sayano
- Coker, R. F.**
- 42-111 Correlated Flux Densities From VLBI Observations With the DSN, pp. 118–128.
- Cooper, L. P.**
- 42-109 Deep Space Network Information System Architecture Study, pp. 282–355.
See Beswick, C. A.

| | | | |
|----------------------------|---|-----------------------|--|
| Crist, R. A. | | 42-111 | Demonstration of a Joint U.S.-Russian Very Long Baseline Interferometry Tracking Capability, pp. 153–166. |
| 42-111 | A 32-GHz Phased Array Transmit Feed for Spacecraft Telecommunications, pp. 310–324. | | See Kroger, P. M. |
| | See Lee, K. A. | | |
| Crowe, R. A. | | | Esquivel, M. S. |
| 42-109 | Deep Space Network Information System Architecture Study, pp. 282–355. | 42-109 | Optimizing the G/T Ratio of the DSS-13 34-Meter Beam-Waveguide Antenna, pp. 152–161. |
| | See Beswick, C. A. | | |
| Deweys, R. J. | | | Estefan, J. A. |
| 42-111 | The Effects of Correlated Noise in Intra-Complex DSN Arrays for S-Band Galileo Telemetry Reception, pp. 129–152. | 42-109 | Deep-Space Navigation With Differentiated Data Types, Part III: An Expanded Information Content and Sensitivity Analysis, pp. 56–73. |
| Divsalar, D. | | | S. W. Thurman |
| 42-110 | Cascaded Convolutional Codes, pp. 202–207. | 42-111 | Precision X-band Radio Doppler and Ranging Navigation: Mars Observer Interplanetary Cruise Scenario, pp. 11–22. |
| | See Pollara, F. | | S. W. Thurman |
| 42-110 | Multiple Symbol Partially Coherent Detection of MPSK, pp. 216–230. | Feria, Y. | |
| | See Simon, M. K. | 42-109 | Bandwidth Compression of Noisy Signals With Square-Wave Subcarrier, pp. 170–178. |
| Dolinar, S. | | | J. Statman |
| 42-110 | Comparisons of Theoretical Limits for Source Coding With Practical Compression Algorithms, pp. 194–201. | 42-111 | SNR Degradation in Square-Wave Subcarrier Downconversion, pp. 192–201. |
| | See Pollara, F. | | J. Statman |
| Dunn, C. E. | | 42-112 | Symbol Signal-to-Noise Ratio Loss in Square-Wave Subcarrier Downconversion, pp. 74–82. |
| 42-111 | Subnanosecond GPS-Based Clock Synchronization and Precision Deep-Space Tracking, pp. 1–10. | | J. Statman |
| | S. M. Lichten, D. C. Jefferson, and J. S. Border | Finger, M. H. | |
| Edwards, Jr., C. D. | | 42-109 | A Determination of the Radio-Planetary Frame Tie From Comparison of Earth Orientation Parameters, pp. 1–21. |
| 42-110 | Spacecraft–Spacecraft Very Long Baseline Interferometry, Part I: Error Modeling and Observable Accuracy, pp. 63–76. | | W. M. Folkner |
| | J. S. Border | Folkner, W. M. | |
| 42-110 | The Goldstone Real-Time Connected Element Interferometer, pp. 52–62. | 42-109 | A Determination of the Radio-Planetary Frame Tie From Comparison of Earth Orientation Parameters, pp. 1–21. |
| | D. Rogstad, D. Fort, L. White, and B. Iijima | | See Finger, M. H. |

| | | |
|-----------------|---|---|
| 42-109 | Orbiter-Orbiter and Orbiter-Lander Tracking Using Same-Beam Interferometry, pp. 74–86. J. S. Border | Goddard, R. E. |
| 42-110 | Precise Tracking of the Magellan and Pioneer Venus Orbiters by Same-Beam Interferometry, Part I: Data Accuracy Analysis, pp. 1–20. See Border, J. S. | 42-109 Applications of Inertial-Sensor High-Inheritance Instruments to DSN Precision Antenna Pointing, pp. 94–104. Goldstein, R. M. |
| Fort, D. | | 42-109 DSN Observations of Titan , pp. 377–379. R. F. Jurgens |
| 42-110 | The Goldstone Real-Time Connected Element Interferometer, pp. 52–62. See Edwards, Jr., C. | 42-110 Modeling the Global Positioning System Signal Propagation Through the Ionosphere, pp. 92–103. See Bassiri, S. |
| Franco, M. M. | | Hanson, T. R. |
| 42-109 | Performance of a 12-GHz Fiber-Optic System for Beam-Waveguide Antenna Stability Testing, pp. 105–113. See Otoshi, T. Y. | 42-111 Helium Compressors for Closed-Cycle, 4.5-Kelvin Refrigerators, pp. 246–253. Heuser, W. R. |
| 42-110 | DSS-13 Beam Waveguide Antenna Frequency Stability, pp. 151–162. See Otoshi, T. Y. | 42-109 An OSI Architecture for the Deep Space Network, pp. 179–208. Hinedi, S. M. |
| 42-112 | A Technique for Computation of Noise Temperature Due to a Beam Waveguide Shroud, pp. 8–16. See Veruttipong, W. | 42-111 Application of Multirate Digital Filter Banks to Wideband All-Digital Phase-Locked Loops Design, pp. 101–117. See Sadr, R. |
| Gawronski, W. | | 42-111 The Use of Subcarriers in Future DSN Missions, pp. 202–223. See Shihabi, M. M. |
| 42-109 | Sequential Design of a Linear Quadratic Controller for the Deep Space Network Antennas, pp. 221–252. | 42-112 A Functional Description of the Buffered Telemetry Demodulator, pp. 50–73. See Tsou, H. |
| 42-110 | A Parameter and Configuration Study of the DSS-13 Antenna Drives, pp. 231–245. J. A. Mellstrom | Huang, J. |
| 42-110 | Feed-Forward Control Upgrade of the Deep Space Network Antennas, pp. 253–262. | 42-111 A 32-GHz Phased Array Transmit Feed for Spacecraft Telecommunications, pp. 310–324. See Lee, K. A. |
| 42-112 | Design of the Reduced Log Compensator for the DSS-13 Antenna, pp. 83–106. | Iijima, B. A. |
| Gevargiz, J. M. | | 42-111 The Goldstone Real-Time Connected Element Interferometer, pp. 52–62. See Edwards, Jr., C. |
| 42-111 | A Method of Optimal Radio Frequency Assignment for Deep Space Missions, pp. 295–309. See Ruggier, C. J. | |

- 42-111 Demonstration of a Joint U.S.-Russian Very Long Baseline Interferometry Tracking Capability, pp. 153–166.
See Kroger, P. M.
- Issa, T. N.**
- 42-110 Availability Analysis of the Traveling-Wave Maser Amplifiers in the Deep Space Network, Part I: The 70-Meter Antennas, pp. 263–277.
- Jamnejad, V.**
- 42-109 Ka-Band Feed Arrays for Spacecraft Reflector Antennas With Limited Scan Capability—An Overview, pp. 367–376.
- Jefferson, D. C.**
- 42-111 Subnanosecond GPS-Based Clock Synchronization and Precision Deep-Space Tracking, pp. 1–10.
See Dunn, C. E.
- Jenkins, J. S.**
- 42-109 Deep Space Network Information System Architecture Study, pp. 282–355.
See Beswick, C. A.
- Jurgens, R. F.**
- 42-109 DSN Observations of Titan, pp. 377–379.
See Goldstein, R. M.
- 42-109 Goldstone Solar System Radar Signal Processing, pp. 380–397.
E. Satorius and O. Sanchez
- Kahn, R. D.**
- 42-110 Precise Tracking of the Magellan and Pioneer Venus Orbiters by Same-Beam Interferometry, Part I: Data Accuracy Analysis, pp. 1–20.
See Border, J. S.
- Kiesaleh, K.**
- 42-111 A Statistical Model for Evaluating GOPEX Uplink Performance, pp. 325–332.
T.-Y. Yan
- Kroger, P. M.**
- 42-111 Demonstration of a Joint U.S.-Russian Very Long Baseline Interferometry Tracking Capability, pp. 153–166.
B. A. Iijima, C. D. Edwards, and V. Altunin, V. Alexeev, B. Lipatov, and E. Molotov
- Lansing, F. S.**
- 42-111 A 32-GHz Phased Array Transmit Feed for Spacecraft Telecommunications, pp. 310–324.
See Lee, K. A.
- Lanyi, G.**
- 42-110 Evaluation of the Table Mountain Ronchi Telescope for Angular Tracking, pp. 104–117.
G. Purcell, R. Treuhaft, and A. Buffington
- Lee, K. A.**
- 42-111 A 32-GHz Phased Array Transmit Feed for Spacecraft Telecommunications, pp. 310–324.
D. L. Rascoe, R. A. Crist, J. Huang, P. D. Wamhof, and F. S. Lansing
- Lee, P. R.**
- 42-110 SETI Low-Frequency Feed Design Study for DSS 24, pp. 246–252.
See Stanton, P. H.
- Lee, R.**
- 42-112 A Functional Description of the Buffered Telemetry Demodulator, pp. 50–73.
See Tsou, H.
- Lichten, S. M.**
- 42-111 Subnanosecond GPS-Based Clock Synchronization and Precision Deep-Space Tracking, pp. 1–10.
See Dunn, C. E.
- Linfield, R.**
- 42-109 Occultation of a Compact Radio Source by Venus, pp. 22–39.

| | | |
|--|--|---|
| Lipatov, B. | | Mellstrom, J. A. |
| 42-111 Demonstration of a Joint U.S.-Russian Very Long Baseline Interferometry Tracking Capability, pp. 153-166. | | 42-110 A Parameter and Configuration Study of the DSS-13 Antenna Drives, pp. 231-245. See Gawronski, W. |
| See Kroger, P. M. | | |
| Lowe, S. T. | | 42-112 Failure Monitoring in Dynamic Systems: Model Construction Without Fault Training Data, pp. 37-49. See Smyth, P. |
| 42-109 A Nanoradian Differential VLBI Tracking Demonstration, pp. 40-55. | | |
| See Treuhhaft, R. N. | | |
| Lutes, G. F. | | Molotov, E. |
| 42-109 Performance of a 12-GHz Fiber-Optic System for Beam-Waveguide Antenna Stability Testing, pp. 105-113. | | 42-111 Demonstration of a Joint U.S.-Russian Very Long Baseline Interferometry Tracking Capability, pp. 153-166. See Kroger, P. M. |
| See Otoshi, T. Y. | | |
| MacCarley, C. | | Mudgway, D. J. |
| 42-109 Noise-Optimal Control of HEMT LNA's for Compensation of Temperature Deviations, pp. 121-129. J. J. Bautista and P. A. Willis | | 42-109 Galileo Early Cruise, Including Venus, First Earth, and Gaspra Encounters, pp. 265-281. See Beyer, P. E. |
| Markley, R. W. | | Mueller, R. O. |
| 42-109 Deep Space Network Information System Architecture Study, pp. 282-355. See Beswick, C. A. | | 42-112 Performance Results of a 300-Degree Linear Phase Modulator for Spaceborne Communications Applications, pp. 107-116. See Mysoor, N. R. |
| 42-112 Management of Space Networks, pp. 117-133. B. R. Williams | | Mysoor, N. R. |
| Masline, R. C. | | 42-112 Performance Results of a 300-Degree Linear Phase Modulator for Spaceborne Communications Applications, pp. 107-116. R. O. Mueller |
| 42-109 Deep Space Network Information System Architecture Study, pp. 282-355. See Beswick, C. A. | | Nguyen, T. M. |
| McEliece, R. J. | | 42-111 The Use of Subcarriers in Future DSN Missions, pp. 202-223. See Shihabi, M. M. |
| 42-110 Maximal Codeword Lengths in Huffman Codes, pp. 188-193. See Abu-Mostafa, Y. S. | | Null, G. W. |
| 42-112 The Analysis of Convolutional Codes via the Extended Smith Algorithm, pp. 22-30. I. Onyszchuk | | 42-110 Deep-Space Navigation Applications of Improved Ground-Based Optical Astrometry, pp. 118-127. W. M. Owen, Jr. and S. P. Synnott |
| | | 42-111 Systems Analysis for Ground-Based Optical Navigation, pp. 23-40. W. M. Owen, Jr. and S. P. Synnott |

| | | |
|-------------------------|--|---|
| O'Connor, R. C. | | Perez, R. M. |
| 42-109 | Galileo Early Cruise, Including Venus, First Earth, and Gaspra Encounters, pp. 265–281. See Beyer, P. E. | 42-109 Improvements in X-Band Transmitter Phase Stability Through Klystron Body Temperature Regulation, pp. 114–120. |
| Olsen, E. T. | | Perez-Borroto, I. M. |
| 42-111 | An Analysis of I/O Efficient Order-Statistic-Based Techniques for Noise Power Estimation in the HRMS Sky Survey's Operational System, pp. 340–351. See Zimmerman, G. A. | 42-111 Atmospheric Refraction Correction for Ka-Band Blind Pointing on the DSS-13 Beam Waveguide Antenna, pp. 62–70. L. S. Alvarez |
| Onyszchuk, I. | | Pollara, F. |
| 42-112 | The Analysis of Convolutional Codes via the Extended Smith Algorithm, pp. 22–30. See McEliece, R. J. | 42-110 Binary Weight Distributions of Some Reed-Solomon Codes, pp. 208–215. S. Arnold |
| Otoshi, T. Y. | | 42-110 Cascaded Convolutional Codes, pp. 202–207. D. Divsalar |
| 42-109 | Performance of a 12-GHz Fiber-Optic System for Beam-Waveguide Antenna Stability Testing, pp. 105–113. M. M. Franco and G. F. Lutes | 42-110 Comparisons of Theoretical Limits for Source Coding With Practical Compression Algorithms, pp. 194–201. S. Dolinar |
| 42-110 | A Method for Modeling Discontinuities in a Microwave Coaxial Transmission Line, pp. 128–150. | Pollmeier, V. M. |
| 42-110 | DSS-13 Beam Waveguide Antenna Frequency Stability, pp. 151–162. M. M. Franco | 42-110 Application of High-Precision Two-Way Ranging to Galileo Earth-1 Encounter Navigation, pp. 21–32. S. W. Thurman |
| 42-111 | Determination of the Dissipative Loss of a Two-Port Network From Noise Temperature Measurements, pp. 71–74. | Posner, E. C. |
| Owen, Jr., W. M. | | 42-111 A Model to Compare Performance of Space and Ground Network Support of Low-Earth Orbiters, pp. 333–339. |
| 42-109 | Geometric Distortion Analysis of a Wide-Field Astrograph, pp. 87–93. S. B. Shaklan | Purcell, G. |
| 42-110 | Deep-Space Navigation Applications of Improved Ground-Based Optical Astrometry, pp. 118–127. See Null, G. W. | 42-110 Evaluation of the Table Mountain Ronchi Telescope for Angular Tracking, pp. 104–117. See Lanyi, G. |
| 42-111 | Systems Analysis for Ground-Based Optical Navigation, pp. 23–40. See Null, G. W. | Rascoe, D. L. |
| | | 42-111 A 32-GHz Phased Array Transmit Feed for Spacecraft Telecommunications, pp. 310–324. See Lee, K. A. |

- Remer, D. S.**
- 42-110 A Model for the Cost of Doing a Cost Estimate, pp. 278–283.
H. R. Buchanan
- Rogstad, D.**
- 42-110 The Goldstone Real-Time Connected Element Interferometer, pp. 52–62.
See Edwards, Jr., C.
- Ruggier, C. J.**
- 42-109 Generalized Probability Model for Calculation of Interference to the Deep Space Network Due to Circularly Earth-Orbiting Satellites, pp. 356–366.
- 42-111 A Method of Optimal Radio Frequency Assignment for Deep Space Missions, pp. 295–309.
J. M. Gevargiz, L. H. Truong, and K. S. Suwitra
- Sadr, R.**
- 42-111 Application of Multirate Digital Filter Banks to Wideband All-Digital Phase-Locked Loops Design, pp. 101–117.
B. Shah and S. Hinedi
- Sanchez, O.**
- 42-109 Goldstone Solar System Radar Signal Processing, pp. 380–397.
See Jurgens, R.
- Santo, D. S.**
- 42-111 Fault Identification Using Multidisciplinary Techniques at the Mars/Uranus Station Antenna Sites, GDSCC, pp. 278–294.
M. B. Schluter and R. J. Shlemon
- Satorius, E.**
- 42-109 Goldstone Solar System Radar Signal Processing, pp. 380–397.
See Jurgens, R.
- Sayano, M.**
- 42-110 Locally Adaptive Vector Quantization: Data Compression With Feature Preservation, pp. 163–178.
See Cheung, K.-M.
- Schluter, M. B.**
- 42-111 Fault Identification Using Multidisciplinary Techniques at the Mars/Uranus Station Antenna Sites, GDSCC, pp. 278–294.
See Santo, D. S.
- Scholtz, P.**
- 42-111 Fault Detection Using a Two-Model Test for Changes in the Parameters of an Autoregressive Time Series, pp. 83–100.
P. Smyth
- Shah, B.**
- 42-111 Application of Multirate Digital Filter Banks to Wideband All-Digital Phase-Locked Loops Design, pp. 101–117.
See Sadr, R.
- 42-112 A Functional Description of the Buffered Telemetry Demodulator, pp. 50–73.
See Tsou, H.
- Shahshahani, M.**
- 42-110 Data Compression by Wavelet Transforms, pp. 179–187.
- 42-112 Image Coding via Wavelets, pp. 31–36.
- Shaklan, S. B.**
- 42-109 Geometric Distortion Analysis of a Wide-Field Astrograph, pp. 87–93.
See W. M. Owen, Jr.
- Shihabi, M. M.**
- 42-111 The Use of Subcarriers in Future DSN Missions, pp. 202–223.
T. M. Nguyen and S. M. Hinedi
- Shlemon, R. J.**
- 42-111 Fault Identification Using Multidisciplinary Techniques at the Mars/Uranus Station Antenna Sites, GDSCC, pp. 278–294.
See Santo, D. S.

| | | |
|-----------------------|--|---|
| Simon, M. K. | | |
| 42-110 | Multiple Symbol Partially Coherent Detection of MPSK, pp. 216–230. | 42-112 Symbol Signal-to-Noise Ratio Loss in Square-Wave Subcarrier Downconversion, pp. 74–82. See Feria, Y. |
| | D. Divsalar | Stelzried, C. T. |
| Skjerve, L. | | 42-109 DSS-13 26-Meter Antenna Upgraded Radiometer System, pp. 209–220. L. Skjerve and G. Bury |
| 42-109 | DSS-13 26-Meter Antenna Upgraded Radiometer System, pp. 209–220. | 42-111 Correction of High-Frequency Noise-Temperature Inaccuracies, pp. 269–277. |
| | See Stelzried, C. T. | 42-111 Minimizing Noise-Temperature Measurement Errors, pp. 254–268. |
| Smyth, P. | | Stoloff, M. J. |
| 42-111 | Fault Detection Using a Two-Model Test for Changes in the Parameters of an Autoregressive Time Series, pp. 83–100. | 42-109 Deep Space Network Information System Architecture Study, pp. 282–355. See Beswick, C. A. |
| | See Scholtz, P. | Suwitra, K. S. |
| 42-112 | Failure Monitoring in Dynamic Systems: Model Construction Without Fault Training Data, pp. 37–49. | 42-111 A Method of Optimal Radio Frequency Assignment for Deep Space Missions, pp. 295–309. See Ruggier, C. J. |
| | J. Mellstrom | Synnott, S. P. |
| Solomon, G. | | 42-110 Deep-Space Navigation Applications of Improved Ground-Based Optical Astrometry, pp. 118–127. See Null, G. W. |
| 42-109 | Golay and Other Box Codes, pp. 130–135. | 42-111 Systems Analysis for Ground-Based Optical Navigation, pp. 23–40. See Null, G. W. |
| 42-111 | More Box Codes, pp. 80–82. | Tausworthe, R. C. |
| 42-111 | Self-Dual (48, 24; 12) Codes, pp. 75–79. | 42-109 Deep Space Network Information System Architecture Study, pp. 282–355. |
| 42-112 | A (72,36;15) Box Code, pp. 19–21. | See Beswick, C. A. |
| 42-112 | Soft Decoding a Self-Dual (48,24;12) Code, pp. 17–18. | Thomas, J. L. |
| Stanton, P. H. | | 42-111 Deep Space Network Information System Architecture Study, pp. 282–355. See Beswick, C. A. |
| 42-110 | SETI Low-Frequency Feed Design Study for DSS 24, pp. 246–252. | See Feria, Y. |
| | P. R. Lee | See Feria, Y. |
| Statman, J. | | Thomas, J. L. |
| 42-109 | Bandwidth Compression of Noisy Signals With Square-Wave Subcarrier, pp. 170–178. | 42-109 Deep Space Network Information System Architecture Study, pp. 282–355. See Beswick, C. A. |
| | See Feria, Y. | See Beswick, C. A. |
| 42-111 | SNR Degradation in Square-Wave Subcarrier Downconversion, pp. 192–201. | 42-109 Deep Space Network Information System Architecture Study, pp. 282–355. See Beswick, C. A. |
| | See Feria, Y. | |

| | | |
|-------------------------|--|--|
| Thurman, S. W. | | Wamhof, P. D. |
| 42-109 | Deep-Space Navigation With Differentiated Data Types, Part III: An Expanded Information Content and Sensitivity Analysis, pp. 56–73. | 42-111 A 32-GHz Phased Array Transmit Feed for Spacecraft Telecommunications, pp. 310–324. See Lee, K. A. |
| | See Estefan, J. A. | |
| 42-110 | Application of High-Precision Two-Way Ranging to Galileo Earth-1 Encounter Navigation, pp. 21–32. | 42-111 Adaptive Low-Bandwidth Tracking of Galileo and Pioneer 10 Carriers, pp. 167–178. |
| | See Pollmeier, V. M. | |
| 42-111 | Precision X-band Radio Doppler and Ranging Navigation: Mars Observer Interplanetary Cruise Scenario, pp. 11–22. | 42-110 The Goldstone Real-Time Connected Element Interferometer, pp. 52–62. See Edwards, Jr., C. |
| | See Estefan, J. A. | |
| Treuhhaft, R. N. | | Wilcox, J. Z. |
| 42-109 | A Nanoradian Differential VLBI Tracking Demonstration, pp. 40–55. | 42-110 The Effect of Tropospheric Fluctuations on the Accuracy of Water Vapor Radiometry, pp. 33–51. |
| | S. T. Lowe | |
| 42-110 | Evaluation of the Table Mountain Ronchi Telescope for Angular Tracking, pp. 104–117. | 42-112 Management of Space Networks, pp. 117–133. See Markley, R. W. |
| | See Lanyi, G. | |
| Truong, L. H. | | Willis, P. A. |
| 42-111 | A Method of Optimal Radio Frequency Assignment for Deep Space Missions, pp. 295–309. | 42-109 Noise-Optimal Control of HEMT LNA's for Compensation of Temperature Deviations, pp. 121–129. See MacCarley, C. |
| | See Ruggier, C. J. | |
| Tsou, H. | | Yan, T.-Y. |
| 42-112 | A Functional Description of the Buffered Telemetry Demodulator, pp. 50–73. | 42-111 A Statistical Model for Evaluating GOPEX Uplink Performance, pp. 325–332. See Kiesaleh, K. |
| | B. Shah, R. Lee, and S. Hinedi | |
| Ulvestad, J. S. | | Zimmerman, G. A. |
| 42-110 | Use of the VLBI Delay Observable for Orbit Determination of Earth-Orbiting VLBI Satellites, pp. 77–91. | 42-111 An Analysis of I/O Efficient Order-Statistic-Based Techniques for Noise Power Estimation in the HRMS Sky Survey's Operational System, pp. 340–351. E. T. Olsen |
| | | |
| Veruttipong, W. | | Zukor, K. S. |
| 42-112 | A Technique for Computation of Noise Temperature Due to a Beam Waveguide Shroud, pp. 8–16. | 42-110 Precise Tracking of the Magellan and Pioneer Venus Orbiters by Same-Beam Interferometry, Part I: Data Accuracy Analysis, pp. 1–20. See Border, J. S. |
| | M. M. Franco | |